


Batch Edit

Instructions

1. For the cells with a dropdown: multiple possible values columns, meaning usually the ones that contain text in the cells and not numbers.

1.1 Right click on any cell in any columns that are not in the columns "Last Modified" or in "Debug".

1.2 To modify one cell, you only click right on one cell. For example, in the picture below, you can see I clicked right on a cell in Surface Finish. To modify one cell, you only click right on one cell. A menu bar will appear with four options.



| Reference ID | Source | Active | Last Modified | Special Joint Type | Surface Finish | Weld Leg Size Min ≥ | Weld Leg Size Max < | Wall Height Min ≥ | Wall Height Max < |
|-----------------------|--------|--------|---------------------|--------------------|----------------------|---------------------|---------------------|-------------------|-------------------|
| MID_LA06-0-H1325B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 5,5 mm | 6,5 mm | 5,5 mm | 8,5 mm |
| MID_LA06-0-V1345B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 5,5 mm | 6,5 mm | 5,5 mm | 8,5 mm |
| MID_TE08-090-H2305B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 7,5 mm | 8,5 mm | 10,5 mm | 999 mm |
| MID_LA08-0-H2325B | AGT | Active | 2024-02-01 12:37:11 | Any | San | 7,5 mm | 8,5 mm | 7,5 mm | 10,5 mm |
| MID_LR06-3-H1335B | AGT | Active | 2024-02-01 12:37:11 | Any | San | 5,5 mm | 6,5 mm | 5,5 mm | 30 mm |
| MID_TE08-090-V2315B | AGT | Active | 2024-02-01 12:37:11 | Any | San | 7,5 mm | 8,5 mm | 10,5 mm | 999 mm |
| MID_LR08-4-H2335B | AGT | Active | 2024-02-13 13:58:22 | Any | San | 7,5 mm | 8,5 mm | 7,5 mm | 30 mm |
| MID_LA08-0-V2345B | AGT | Active | 2024-02-01 12:37:11 | Any | San | 7,5 mm | 8,5 mm | 7,5 mm | 10,5 mm |
| MID_TE10-090-H3305BP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm |
| MID_TE05-090-H0305B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 7,5 mm | 999 mm |
| MID_TE05-090-V0315B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 7,5 mm | 999 mm |
| MID_LA05-0-H0325B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 4,5 mm | 7,5 mm |
| MID_LA05-0-V0345B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 4,5 mm | 7,5 mm |
| MID_TE10-090-V3315BP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm |
| MID_LA10-0-H3325BP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm |
| MID_LA10-0-V3345BP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm |
| MID_TE10-090-H3405BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm |
| MID_TE10-090-V3415BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm |
| MID_LA10-0-H3425BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm |
| MID_LA10-0-V3445BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm |
| MID_LR05-2-H0335B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 4,5 mm | 30 mm |
| MID_LR10-5-H3435BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 30 mm |

1.3 To modify multiple cells

1.3.1 Select Rows:


- Press the **Shift** key on your keyboard.
- Simultaneously, click on the **first row** you want to edit.
- Then, click on the **last row** in the range you wish to modify.

1.3.2 Batch Edit:

- As shown in the picture below, you'll notice that **multiple rows are highlighted in blue**. This indicates that they are all selected for batch editing.


1.3.3 Context Menu:

- To apply the changes, **right-click** in the column where you want to edit the values between the highlighted blue rows. A context menu button will appear.



| Reference ID | Source | Active | Last Modified | Special Joint Type | Surface Finish | Weld Leg Size Min ≥ | Weld Leg Size Max < | Wall Height Min ≥ | Wall Height Max < |
|-----------------------|--------|--------|---------------------|--------------------|----------------------|---------------------|---------------------|-------------------|-------------------|
| MID_LA06-0-H132SB | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 5,5 mm | 6,5 mm | 5,5 mm | 8,5 mm |
| MID_LA06-0-V1345B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 5,5 mm | 6,5 mm | 5,5 mm | 8,5 mm |
| MID_TE08-090-H2305B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 7,5 mm | 8,5 mm | 10,5 mm | 999 mm |
| MID_LA08-0-H2325B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 7,5 mm | 8,5 mm | 7,5 mm | 10,5 mm |
| MID_LR06-3-H1335B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 5,5 mm | 6,5 mm | 5,5 mm | 30 mm |
| MID_TE08-090-V2315B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 7,5 mm | 8,5 mm | 10,5 mm | 999 mm |
| MID_LR08-4-H2335B | AGT | Active | 2024-02-13 13:58:22 | Any | Sandblasted (Scale0) | 7,5 mm | 8,5 mm | 7,5 mm | 30 mm |
| MID_LA08-0-V2345B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 7,5 mm | 8,5 mm | 7,5 mm | 10,5 mm |
| MID_TE10-090-H3305BP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblaste | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm |
| MID_TE05-090-H0305B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblaste | 4,5 mm | 5,5 mm | 7,5 mm | 999 mm |
| MID_TE05-090-V0315B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblaste | 4,5 mm | 5,5 mm | 7,5 mm | 999 mm |
| MID_LA05-0-H0325B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblaste | 4,5 mm | 5,5 mm | 4,5 mm | 7,5 mm |
| MID_LA05-0-V0345B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblaste | 4,5 mm | 5,5 mm | 4,5 mm | 7,5 mm |
| MID_TE10-090-V3315BP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm |
| MID_LA10-0-H3325BP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm |
| MID_LA10-0-V3345BP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm |
| MID_TE10-090-H3405BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm |
| MID_TE10-090-V3415BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm |
| MID_LA10-0-H3425BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm |
| MID_LA10-0-V3445BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm |
| MID_LR05-2-H0335B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 4,5 mm | 30 mm |
| MID_LR10-5-H3435BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 30 mm |


1.3.4 You can also select multiple rows by pressing the CTRL key on your keyboard and simultaneously clicking different dispersed rows, as shown below. Then, right-click on one of the highlighted cells.



| Reference ID | Source | Active | Last Modified | Special Joint Type | Surface Finish | Weld Leg Size Min ≥ | Weld Leg Size Max < | Wall Height Min ≥ | Wall Height Max < |
|-----------------------|--------|--------|---------------------|--------------------|----------------------|---------------------|---------------------|-------------------|-------------------|
| MID_LA06-0-H1325B | AGT | Active | 2024-02-28 16:56:43 | Any | Sandblasted (Scale0) | 5,5 mm | 6,5 mm | 5,5 mm | 8,5 mm |
| MID_LA06-0-V1345B | AGT | Active | 2024-02-28 16:57:01 | Any | Scaled (Scale100) | 5,5 mm | 6,5 mm | 5,5 mm | 8,5 mm |
| MID_TE08-090-H2305B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 7,5 mm | 8,5 mm | 10,5 mm | 999 mm |
| MID_LA08-0-H2325B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 7,5 mm | 8,5 mm | 7,5 mm | 10,5 mm |
| MID_LR06-3-H1335B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 5,5 mm | 6,5 mm | 5,5 mm | 30 mm |
| MID_TE08-090-V2315B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 7,5 mm | 8,5 mm | 10,5 mm | 999 mm |
| MID_LR08-4-H2335B | AGT | Active | 2024-02-28 16:57:01 | Any | Scaled (Scale100) | 7,5 mm | 8,5 mm | 7,5 mm | 30 mm |
| MID_LA08-0-V2345B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 7,5 mm | 8,5 mm | 7,5 mm | 10,5 mm |
| MID_TE10-090-H3305BP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm |
| MID_TE05-090-H0305B | AGT | Active | 2024-02-28 16:57:01 | Any | Scaled (Scale100) | 4,5 mm | 5,5 mm | 7,5 mm | 999 mm |
| MID_TE05-090-V0315B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 7,5 mm | 999 mm |
| MID_LA05-0-H0325B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 4,5 mm | 7,5 mm |
| MID_LA05-0-V0345B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 4,5 mm | 7,5 mm |
| MID_TE10-090-V3315BP1 | AGT | Active | 2024-02-28 16:57:01 | Any | Scaled (Scale100) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm |
| MID_LA10-0-H3325BP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm |
| MID_LA10-0-V3345BP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm |
| MID_TE10-090-H3405BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm |
| MID_TE10-090-V3415BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm |
| MID_LA10-0-H3425BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm |
| MID_LA10-0-V3445BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm |
| MID_LR05-2-H0335B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 4,5 mm | 30 mm |
| MID_LR10-5-H3435BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 30 mm |

1.4 If you've chosen to modify only one row, select the option "Edit Row." If you've selected multiple rows, choose the option "Edit Selected Rows."


1.5 After making your selection, a pop-up window will appear. In this window, you'll find a dropdown menu with the possible values you can choose from to modify the current value.




1.6 After selecting your desired value, click the "Apply" button. A pop-up Confirmation window will appear, displaying the number of rows you are modifying. You'll have two options:

- **“Confirm”**: Proceed with the modifications.
- **“Cancel”**: Return to the pop-up editing window without applying the changes.

a) modifying one row



b) modifying multiple rows



1.7 Once you've clicked the **“Confirm”** button, the changes will be applied to the selected cells. Here's a visual representation of how it looks:



AGT ROBOTICS

8800 boul. Parent

Trois-Rivières QC G9A5E1

Canada

JointCriteriaDBAGT_R.000.001.C.agt@b2 | AGT Welding Database 1.0.0.0

General Middle Start End Search middle

New Delete Copy to another database Record History Clear Filter(s) Print


Records View

| Information | Joint Characteristics | | | | | | | | | |
|-----------------------|-----------------------|--------|---------------------|--------------------|--------------------------|---------------------|---------------------|-------------------|-------------------|--|
| Reference ID | Source | Active | Last Modified | Special Joint Type | Surface Finish | Weld Leg Size Min ≥ | Weld Leg Size Max < | Wall Height Min ≥ | Wall Height Max < | |
| MID_LA06-0-H1325B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 5,5 mm | 6,5 mm | 5,5 mm | 8,5 mm | |
| MID_LA06-0-V1345B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 5,5 mm | 6,5 mm | 5,5 mm | 8,5 mm | |
| MID_TE08-090-H2305B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 7,5 mm | 8,5 mm | 10,5 mm | 999 mm | |
| MID_LA08-0-H2325B | AGT | Active | 2024-02-27 16:21:31 | Any | FabricatedBeam (Scale33) | 7,5 mm | 8,5 mm | 7,5 mm | 10,5 mm | |
| MID_LR06-3-H1335B | AGT | Active | 2024-02-27 16:21:31 | Any | FabricatedBeam (Scale33) | 5,5 mm | 6,5 mm | 5,5 mm | 30 mm | |
| MID_TE08-090-V2315B | AGT | Active | 2024-02-27 16:21:31 | Any | FabricatedBeam (Scale33) | 7,5 mm | 8,5 mm | 10,5 mm | 999 mm | |
| MID_LR08-4-H2335B | AGT | Active | 2024-02-27 16:21:31 | Any | FabricatedBeam (Scale33) | 7,5 mm | 8,5 mm | 7,5 mm | 30 mm | |
| MID_LA08-0-V2345B | AGT | Active | 2024-02-27 16:21:31 | Any | FabricatedBeam (Scale33) | 7,5 mm | 8,5 mm | 7,5 mm | 10,5 mm | |
| MID_TE10-090-H3305BP1 | AGT | Active | 2024-02-27 16:21:31 | Any | FabricatedBeam (Scale33) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm | |
| MID_TE05-090-H0305B | AGT | Active | 2024-02-27 16:21:31 | Any | FabricatedBeam (Scale33) | 4,5 mm | 5,5 mm | 7,5 mm | 999 mm | |
| MID_TE05-090-V0315B | AGT | Active | 2024-02-27 16:21:31 | Any | FabricatedBeam (Scale33) | 4,5 mm | 5,5 mm | 7,5 mm | 999 mm | |
| MID_LA05-0-H0325B | AGT | Active | 2024-02-27 16:21:31 | Any | FabricatedBeam (Scale33) | 4,5 mm | 5,5 mm | 4,5 mm | 7,5 mm | |
| MID_LA05-0-V0345B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 4,5 mm | 7,5 mm | |
| MID_TE10-090-V3315BP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm | |
| MID_LA10-0-H3325BP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm | |
| MID_LA10-0-V3345BP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm | |
| MID_TE10-090-H3405BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm | |
| MID_TE10-090-V3415BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm | |
| MID_LA10-0-H3425BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm | |
| MID_LA10-0-V3445BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm | |
| MID_LR05-2-H0335B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 4,5 mm | 30 mm | |
| MID_LR10-5-H3435BP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 30 mm | |

Count=140

2. For the numerical cells

2.1 Same instructions as the Dropdown cells, you can either select one or multiple rows and then click right.



JointCriteriaDBAGT_R.000.001.C.agt@b2 | AGT Welding Database 1.0.0.0

General Middle Start End Search middle

New Delete Copy to another database Record History Clear Filter(s) Print


| Reference ID | Source | Active | Last Modified | Special Joint Type | Surface Finish | Weld Leg Size Min \geq | Weld Leg Size Max $<$ | Wall Height Min \geq | Wall Height Max $<$ |
|-----------------------|--------|--------|---------------------|--------------------|----------------------|--------------------------|-----------------------|------------------------|---------------------|
| MID_LA10-0-V334SBP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm |
| MID_TE10-090-H340SBP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm |
| MID_TE10-090-V341SBP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm |
| MID_LA10-0-H342SBP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm |
| MID_LA10-0-V344SBP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm |
| MID_LR05-2-H0335B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 4,5 mm | 30 mm |
| MID_LR10-5-H343SBP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 30 mm |
| MID_LR10-5-H333SBP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 30 mm |
| MID_LR05-5-H0365B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 6,5 mm | 5,5 mm | 4,5 mm | 30 mm |
| MID_LR06-6-H1445B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 6,5 mm | 5,5 mm | 5,5 mm | 30 mm |
| MID_LR06-9-H1455B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 6,5 mm | 5,5 mm | 5,5 mm | 30 mm |
| MID_LR08-6-H2435B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 7,5 mm | 8,5 mm | 7,5 mm | 30 mm |
| MID_LR08-9-H2445B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 7,5 mm | 8,5 mm | 7,5 mm | 30 mm |
| MID_LR05-4-H0355B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 4,5 mm | 30 mm |
| MID_LR06-5-H1435B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 5,5 mm | 6,5 mm | 5,5 mm | 30 mm |
| MID_LR10-9-H335SBP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 30 mm |
| MID_LR10-9-H345SBP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 30 mm |
| MID_TE05-080-H0375B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 7,5 mm | 999 mm |
| MID_TE05-085-H0385B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 7,5 mm | 999 mm |
| MID_TE05-095-H0395B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 7,5 mm | 999 mm |
| MID_TE05-100-H0405B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 7,5 mm | 999 mm |
| MID_TE05-080-V0415B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 7,5 mm | 999 mm |

Count=140


2.2 First, choose the corresponding option: either “Edit Row” or “Edit Selected Rows”. Once you’ve made your selection, a pop-up window will appear. In the pop-up window, you’ll find different options for modifying the numerical value.

- **Set Value:** Use this option to directly set a specific value.
- **Add to Current Value:** Add a specified amount to the current value.
- **Multiply by Factor:** Multiply the current value by a given factor.

In the picture below, the edited values are of the selected rows in Weld Leg Size Min.



2.3 Once the **"Apply"** button is pressed, a confirmation window will appear with the number of rows you are about to change and 2 buttons to **"Confirm"** or **"Cancel"** the change.



2.4 Once the changes are confirmed, you will see that the values have been changed to 6. (don't mind the X marks)

JointCriteriaDBAGT_R.000.001.C.agt@b2 | AGT Welding Database 1.0.0.0

General Middle Start End Search middle

New Delete Copy to another database Record History Clear Filter(s) Print

| Information | | Joint Characteristics | | | | | | | | |
|-----------------------|--------|-----------------------|---------------------|--------------------|----------------------|---------------------|---------------------|-------------------|-------------------|--|
| Reference ID | Source | Active | Last Modified | Special Joint Type | Surface Finish | Weld Leg Size Min ≥ | Weld Leg Size Max < | Wall Height Min ≥ | Wall Height Max < | |
| MID_LA10-0-V334SBP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 12,5 mm | |
| MID_TE10-090-H340SBP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm | |
| MID_TE10-090-V341SBP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 12,5 mm | 999 mm | |
| MID_LA10-0-H342SBP2 | AGT | Active | 2024-02-27 16:40:25 | Any | Sandblasted (Scale0) | 6 mm | 10,9 mm | 9,5 mm | 12,5 mm | |
| MID_LA10-0-V344SBP2 | AGT | Active | 2024-02-27 16:40:25 | Any | Sandblasted (Scale0) | 6 mm | 10,9 mm | 9,5 mm | 12,5 mm | |
| MID_LR05-2-H0335B | AGT | Active | 2024-02-27 16:40:25 | Any | Sandblasted (Scale0) | 6 mm | 5,5 mm | 4,5 mm | 30 mm | |
| MID_LR10-5-H343SBP2 | AGT | Active | 2024-02-27 16:40:25 | Any | Sandblasted (Scale0) | 6 mm | 10,9 mm | 9,5 mm | 30 mm | |
| MID_LR10-5-H333SBP1 | AGT | Active | 2024-02-27 16:40:25 | Any | Sandblasted (Scale0) | 6 mm | 10,9 mm | 9,5 mm | 30 mm | |
| MID_LR05-5-H0365B | AGT | Active | 2024-02-27 16:40:25 | Any | Sandblasted (Scale0) | 6 mm | 5,5 mm | 4,5 mm | 30 mm | |
| MID_LR06-6-H1445B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 5,5 mm | 6,5 mm | 5,5 mm | 30 mm | |
| MID_LR06-9-H1455B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 5,5 mm | 6,5 mm | 5,5 mm | 30 mm | |
| MID_LR08-6-H2435B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 7,5 mm | 8,5 mm | 7,5 mm | 30 mm | |
| MID_LR08-9-H2445B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 7,5 mm | 8,5 mm | 7,5 mm | 30 mm | |
| MID_LR05-4-H0355B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 4,5 mm | 30 mm | |
| MID_LR06-5-H1435B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 5,5 mm | 6,5 mm | 5,5 mm | 30 mm | |
| MID_LR10-9-H335SBP1 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 30 mm | |
| MID_LR10-9-H345SBP2 | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 9,5 mm | 10,9 mm | 9,5 mm | 30 mm | |
| MID_TE05-080-H0375B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 7,5 mm | 999 mm | |
| MID_TE05-085-H0385B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 7,5 mm | 999 mm | |
| MID_TE05-095-H0395B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 7,5 mm | 999 mm | |
| MID_TE05-100-H0405B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 7,5 mm | 999 mm | |
| MID_TE05-080-V0415B | AGT | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 7,5 mm | 999 mm | |

Count=140

3. Edit All Rows:

If you chose the option "Edit All Rows", it will edit all the recipes present in the Database. The value you select will be applied to the entire column where you right-clicked.

4. Edit All Filtered Rows:

If you chose the option "Edit All Filtered Rows", it will only edit the recipes that you've filtered in the Reference ID column. To filter rows, you can either click on the cell titled Reference ID or use the Validation window. Once filtered, you can change the value for the specific column you've chosen.



AGT ROBOTICS

8800 boul. Parent

Trois-Rivières QC G9A5E1

Canada

JointCriteriaDBAGT_R.000.001.C.agt@b2 | AGT Welding Database 1.0.0.0

General Middle Start End Search middle

New Open Save Export to CSV Database Version Change Run Clear Show
File Database View Utilities

Information Joint Characteristics

| Reference ID | Source | Active | Last Modified | Special Joint Type | Surface Finish | Weld Leg Size Min ≥ | Weld Leg Size Max < | Wall Height Min ≥ | Wall Height Max < |
|--------------|--------|--------|---------------------|--------------------|--------------------------|---------------------|---------------------|-------------------|-------------------|
| MID_LA06-0 | | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 5,5 mm | 6,5 mm | 5,5 mm | 8,5 mm |
| MID_LA08-0 | | Active | 2024-02-27 16:21:31 | Any | FabricatedBeam (Scale33) | 7,5 mm | 8,5 mm | 7,5 mm | 10,5 mm |
| MID_LA05-0 | | Active | 2024-02-27 16:21:31 | Any | FabricatedBeam (Scale33) | 4,5 mm | 5,5 mm | 4,5 mm | 7,5 mm |
| MID_LA05-0 | | Active | 2024-02-01 12:37:11 | Any | Sandblasted (Scale0) | 4,5 mm | 5,5 mm | 4,5 mm | 7,5 mm |

Count=5

Reference ID in MID_LA05-0-H032SB MID_LA05-0-V034SB MID_LA06-0-H132SB MID_LA06-0-V134SB MID_LA08-0-H232SB

AGT Robotics Inc.

8800 boul. Parent, Trois-Rivières, QC, Canada, G9A 5E1

Tel: (819) 693-9682 | Mail: agtsupport@agt-group.com | Web: http://www.agtrobotics.com